



KODIAK4000R Hobby Unit



- Ceramic plungers for extended unit life & low-maintenance
- Detergent bottle attachment and quick-connect garden hose coupling for easy set-up
- 26' wire-braided high-pressure hose offers added flexibility and durability
- Powered by 3400 RPM / 1.5hp / 120V / 15.0A single-phase electric induction motor
- Performance: 1300 PSI @1.85 GPM
- Shipping Weight: 38 lbs

Product No.	Description
KODIAK4000R	1300PSI Kodiak Hobby Unit

Accessories for Kodiak Hobby Units

Product No.	Description	For Use With
HK150	50 ft. (15m) High-Pressure Hose Kit	Formula 100, Turbo 21
KODIAKEXTHOSE05	25 ft. (7.5m) Extension Hose	All consumer pressure washers electric & gas up to 2600 PSI
BKI	Rotating Brush	4000R, Turbo 21, Formula 100
SKI	Wet Sandblast Kit	4000R, Turbo 21, Formula 100
DKI	Drain Cleaning Kit	4000R, Turbo 21, Formula 100
FKI	Foam Generator Kit	4000R, Turbo 21, Formula 100
CARTKIT3	Portable Cart	Formula 100, Turbo 21

Commercial Unit



FORMULA100



TURBO21



- Ceramic plungers for extended unit life & low-maintenance
- Built-in soap-feed system eliminates need to carry separate components for easy set-up
- 26' wire-braided high-pressure hose offers added flexibility and durability
- Powered by 1750 RPM / 1.5hp / 120V / 15.0A single-phase electric induction motor
- Performance: 1000 PSI @2.1 GPM
- Shipping Weight: 43 lbs

Product No.	Shipping Weight	Description
FORMULA100	43 lbs	1000PSI Kodiak Commercial Unit w/Built-in Unloader Valve
TURBO21	45 lbs	1000PSI Kodiak Commercial Unit w/Separate Unloader Valve

Professional Electric Cold Water Units



KC2100EPH w/Carry Handle



Reversible Cart Design on KC2100EPC and up



- Tough professional electric motors provide high horsepower cleaning
- Quick-connect nozzles allow you to easily switch to the right nozzle quickly
- Ceramic plungers and thermal protection define tough industrial standard added safety
- Interpump brass pump heads delivers long-lasting performance and hassle-free operation
- Hand-held roll-cage design on PW2100EPH
- Reversible cart with chemical basket on PW2100EPC and up converts from low-slung position to traditional upright style to suit operator comfort

Product No.	Motor	Motor RPM	Voltage	Amps	Flow	Pressure	Shipping Weight
KC2100EPH	1.5 hp 1 PH Baldor TEFC	3400 RPM	120V	13.9A	2.0 gpm	1000 psi	70 lbs
KC2100EPC	1.5 hp 1 PH Baldor TEFC	3400 RPM	120V	13.9A	2.0 gpm	1000 psi	95 lbs
KC3150EPC	3.0 hp 1 PH Baldor TEFC	3400 RPM	230V	16.0A	3.0 gpm	1500 psi	118 lbs
KC3200EPC	5.0 hp 1 PH Baldor ODP	3400 RPM	230V	20.0A	3.0 gpm	2000 psi	124 lbs

Maritimes/Quebec/Ontario

Phone TOLL FREE: 1.888.881.6667
Fax TOLL FREE: 1.800.350.5666

C1

www.pressurewashcomponents.ca

Alberta/Manitoba/Sask/BC

Phone TOLL FREE: 1.800.527.8592
Fax TOLL FREE: 1.800.661.3719



pressure washers

Professional Gas Powered Cold Water Units



CG2800R



KC3250SUB



KC4350GHD

- Powered by Honda and Robin engines for high power deep cleaning
- Quality all brass pump heads add durability and performance
- General Pump pump & components gives extra life and reliable results every time
- Ceramic plungers and thermal protection define tough industrial standard and added safety
- Chemical basket included for convenience
- Quick-connect nozzles allow you to quickly and easily switch to the right nozzle
- 36" lance assembly included
- Reversible cart converts from low-slung position to traditional upright style to suit operator comfort
- 10" pneumatic wheels

Product No.	Engine	Flow	Pressure	Hose Length	Shipping Weight
CG2800R	6.0 hp Honda GC190	2.3 gpm	2800 psi (peak)	15 m (50'ft)	80 lbs
CKC3200GPC	5.5 hp Honda GX120 OHV	3.0 gpm	2000 psi	9m (30'ft)	96 lbs
KC3250GPC	6.5 hp Honda GX200 OHV	3.0 gpm	2500 psi	9m (30'ft)	98 lbs
KC3250SUB	7.0 hp Subaru EX21 OHC	3.0 gpm	2500 psi	9m (30'ft)	98 lbs
KC4350GPC	13.0 hp Honda GX390 OHV	3.8 gpm	3500 psi	15 m (50'ft)	150 lbs
GHD Series: Features separate unloader w/Easy-Start valve/chemical injector					
KC4350GHD	13.0 hp Honda GX390 OHV	3.8 gpm	3500 psi	15 m (50'ft)	155 lbs
KC4040GHD	14.0 hp Subaru EX40 OHC	4.0 gpm	4000 psi	15 m (50'ft)	160 lbs

Master Series - Electric Pressure Wash Units

- Industrial / Farm application
- Totally Enclosed Fan Cooled Baldor Industrial grade motor
- Interpump Triplex Plunger Pump
- Separate adjustable chemical detergent feed system
- Premium separate unloader
- Thermal protected pump
- Heavy duty braided hose
- Premium gun & 36" lance assembly
- Colour coded quick connect nozzles
- Weather resistant powder coated steel frame
- Reversible cart designed with lance, hose & nozzle holder
- 10" pneumatic wheels



Product No.	Motor	Motor RPM	Voltage	Amps	Flow	Pressure	Hose Length	Shipping Weight
A2100E17	1.5 hp 1 PH	1750 RPM	115V	13.9A	2.0 gpm	1000 psi	9m (30'ft)	70 lbs
A2100E34	1.5 hp 1 PH	3400 RPM	115V	13.9A	2.0 gpm	1000 psi	9m (30'ft)	95 lbs
A7000E	5.0 hp 1 PH	3400 RPM	230V	20.0A	3.5 gpm	2000 psi	15 m (50'ft)	118 lbs
A7500E	5.0 hp 1 PH	1750 RPM	230V	23.0A	3.6 gpm	2100 psi	15 m (50'ft)	124 lbs



Master Series - Gas Powered Pressure Wash Units



- Industrial / Farm application
- Honda GX engine with oil alert
- Interpump Triplex Plunger Pump
- Separate adjustable chemical detergent feed system
- Premium separate unloader
- Thermal protected pump
- 50' Heavy duty wire braided hose
- Premium gun & stainless steel lance assembly
- Colour coded quick connect nozzles
- Weather resistant powder coated steel frame
- Reversible cart designed with lance, hose & nozzle holder
- 10" pneumatic wheels

Product No.	Engine	Flow	Pressure	Lance Length	Shipping Weight
A7500G	6.5 hp Honda GX200 OHV	3.0 gpm	2500 psi	36"	98 lbs
A12000G	13.0 hp Honda GX390 OHV	4.0 gpm	3000 psi	36"	150 lbs

Master Series - High Temperature Electric Pressure Wash Units



A5004E17HSS



A1904E17HSS




- Food Processing / Industrial Cleaning application
- Totally Enclosed Fan Cooled Baldor motor
- Flex coupler drive system
- Resilient Interpump HT (High Temperature) Triplex Plunger Pump
- Premium separate unloader
- Pump with thermal protection up to 185°
- Heavy duty non marking Blue Neptune braided hose
- Premium gun & 36" stainless steel lance assembly
- Single 1/4 meg nozzle
- Weather resistant powder coated steel frame
- Reversible cart designed with lance, hose & nozzle holder
- 10" pneumatic wheels

HOT WATER

Product No.	Motor	Motor RPM	Voltage	Amps	Flow	Pressure	Hose Length	Shipping Weight
A5004E17HSS	1.5 hp 1 PH	1750 RPM	115V	13.9A	4.0 gpm	500 psi	9m (30'ft)	100 lbs
A1904E17HSS	5.0 hp 1 PH	1750 RPM	230V	23.0A	4.0 gpm	1900 psi	15 m (50'ft)	195 lbs

**Looking for a Customized Pumping System?
Call Us Today for a Quote on a System
Designed & Engineered to Your Specific Requirements.**



equipment

motor pump assemblies (MPUs)

Master Series MPUs - Electric Motor with Integral Unloader



- Industrial / Farm application
- Totally Enclosed Fan Cooled Baldor Industrial grade motor
- Resilient Interpump Triplex Plunger Pump with integral unloader
- Integral adjustable chemical detergent feed system
- Thermal protected pump
- Warnock Hersey certified

Product No.	Motor	Motor RPM	Voltage	Amps	Flow	Pressure	Shipping Weight
MPU2100E17	1.5 hp 1 PH	1750 RPM	115V	13.9A	2.0 gpm	1000 psi	59 lbs
MPU2100E34	1.5 hp 1 PH	3400 RPM	115V	13.9A	2.0 gpm	1000 psi	54 lbs
MPU3150E17	3.0 hp 1 PH	1750 RPM	230V	16.0A	3.0 gpm	1500 psi	114 lbs
MPU3150E34	3.0 hp 1 PH	3400 RPM	230V	16.0A	3.0 gpm	1500 psi	75 lbs
MPU35200E	5.0 hp 1 PH	3400 RPM	230V	23.0A	3.5 gpm	2000 psi	80 lbs
MPU36210E	5.0 hp 1 PH	1750 RPM	230V	23.0A	3.6 gpm	2100 psi	130 lbs

Master Series MPUs - Electric Motor with Separate Unloader



- Industrial / Farm application
- Totally Enclosed Fan Cooled Baldor Industrial grade motor
- Resilient Interpump Triplex Plunger Pump
- Includes 7m power cord
- Separate adjustable unloader
- Separate adjustable low pressure injector
- Thermal protected pump
- Warnock Hersey certified

Product No.	Motor	Motor RPM	Voltage	Amps	Flow	Pressure	Shipping Weight
MPU2100EUVP	1.5 hp 1 PH	1750 RPM	115V	13.9A	2.1 gpm	1000 psi	62 lbs
MPU4500EUVP	3.0 hp 1 PH	3400 RPM	230V	16.0A	3.0 gpm	1000 psi	76 lbs
MPU4500EXUVP	3.0 hp 1 PH	1750 RPM	230V	16.0A	3.0 gpm	1500 psi	98 lbs
MPU7500EUVP	5.0 hp 1 PH	1750 RPM	230V	23.0A	3.6 gpm	1500 psi	134 lbs

Master Series MPUs - Electric Motor with Separate Unloader



- Industrial / Farm application
- Hot water up to 185 degrees
- Totally Enclosed Fan Cooled Baldor Industrial grade motor
- Flex coupler drive system
- Resilient Interpump Triplex Plunger Pump
- Separate adjustable unloader
- Thermal protected pump up to 190 degrees
- CSA certified
- Includes 7m power cord

Product No.	Motor	Motor RPM	Voltage	Amps	Flow	Pressure	Shipping Weight
MPU5004HT	1.5 hp 1 PH	1750 RPM	115V	13.9A	4.0 gpm	500 psi	75 lbs
MPU1904HT	5.0 hp 1 PH	1750 RPM	230V	23.0A	4.0 gpm	1900 psi	142 lbs